Nuclear Instruments and Methods in Physics Research A 375 (1996) xvii–xxvii

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

Contents

Preface vii
Committees ix
Sponsors x
1995 International Free Electron Laser Prize xi
Photos xiii

Part I. Full length papers

Section I. FEL prize talk and new lasing

Dynamical aspects of FEL interaction in single passage and storage ring devices
G. Dattoli and A. Renieri 1
First lasing, capabilities, and flexibility of FIREFLY
K.W. Berryman and T.I. Smith 6
Optical cavities for IR-FELs at the FELI
K. Saeki, S. Okuma, E. Oshita, K. Wakita, A. Kobayashi and T. Tomimasu 10
Observation of SASE at 47 μm
D. Bocek, P. Kung, H.-C. Lihn, C. Settakorn and H. Wiedemann 13
Report on first masing and single-mode locking in a prebunched beam FEM oscillator
M. Cohen, A. Eichenbaum, H. Kleinman, D. Chairman and A. Gover 17
Dielectric-loaded free-electron maser in a stripline structure
M. Einat, E. Jerby and A. Shahadi 21
First lasing of TEUFEL
G.J. Ernst, J.W.J. Verschuur, B.M. Van Oerle, A.F.M. Bouman, J.I.M. Botman, H.L. Hagedoorn and W.J. Witteman 26
First lasing of the KAERI millimeter-wave free electron laser
B.C. Lee, S.K. Kim, Y.U. Jeong, S.O. Cho, B.H. Cha and J. Lee 28

Section II. Storage ring based FELs

Microscopic study on lasing characteristics of the UVSOR storage ring free electron laser
H. Hama, K. Kimura, J. Yamazaki, S. Takano, T. Kinoshita and M.-E. Couprie 32
Lasing at 300 nm and below: optical challenges and perspectives
D. Garzella, M.E. Couprie and M. Billardon 39
Duke storage ring UV/VUV FEL: status and prospects
V.N. Litvinenko, B. Burnham, J.M.J. Madey, S.H. Park and Y. Wu 46
Study of stored current limitation on the storage ring NIJI-IV
M. Yokoyama, M. Kawai, K. Yamada, N. Sei, S. Hamada, S. Sugiyama, H. Ohgaki, T. Mikado, T. Noguchi, R. Suzuki, M. Chiwaki, T. Ohdaira and T. Yamazaki 53
A helical optical klystron for an UV-FEL project at the UVSOR
H. Hama 57
Gain narrowing of spectral and temporal widths in the UVSOR-FEL
K. Kimura, J. Yamazaki, S. Takano, T. Kinoshita and H. Hama 62
Temporal and spectral evolution of a storage ring FEL source: experimental results on Super-ACO and new theoretical approach
T. Hara, M.E. Couprie and M. Billardon 67

0168-9002/96/$15.00 Copyright © 1996 Elsevier Science B.V. All rights reserved

A study of the influence of the stochastic process on the synchrotron oscillations of a single electron circulated in the VEPP-3 storage ring
I.V. Pinayev, V.M. Popik, T.V. Salikova, T.V. Shaftan, A.S. Sokolov, N.A. Vinokurov and P.V. Vorob'ev 71

The performance of the Duke FEL storage ring
Y. Wu, V.N. Litvinenko, B. Burnham, J.M.J. Madey and S.H. Park 74

Section III. Electron beam physics and technology

Kinetic theory of free electron lasers
B. Hafizi and C.W. Roberson 78

Experimental characterization of the high-brightness electron photoinjector
X.J. Wang, M. Babzien, K. Batchelor, I. Ben-Zvi, R. Malone, I. Pogorelsky, X. Qui, J. Sheehan, J. Sharitka and T. Srinivasan-Rao 82

The determination of an electron beam's longitudinal phase space distribution through the use of phase-energy measurements
E.R. Crosson, K.W. Berryman, B.A. Richman, T.I. Smith and R.L. Swent 87

Design and characterization of the DC acceleration and transport system required for the 1 MW Free Electron Maser experiment
M. Caplan, M. Valentini, C. Van Der Geer and W. Urbanus 91

Electron bunch length measurements at the Vanderbilt FEL
F. Amirmadhi, C.A. Brau, M. Mendenhall, J.R. Engholm and U. Happek 95

The Mark III IR FEL: improvements in performance and operation
G.A. Barnett, J.M.J. Madey, C.B. McKee, K.D. Straub and E.B. Szarmes 97

JINR test facility for studies FEL bunching technique for CLIC driving beam
G.V. Dolbilov, J.-P. Delahaye, A.A. Fateev, I.I. Golubev, I.N. Ivanov, C.D. Johnson, V.V. Kosukhin, N.I. Lebedev, V.A. Petrov, V.N. Razuvakin, E.L. Saldin, E.A. Schneidmiller, V.S. Shvetsov and M.V. Yurkov 100

Longitudinal phase space experiments on the ELSA photoinjector
D.H. Dowell, S. Joly, J.P. de Brion, G. Haouat and A. Loulergue 104

The Boeing photocathode accelerator magnetic pulse compression and energy recovery experiment
D.H. Dowell, J.L. Adamski, T.D. Hayward, C.G. Parazzoli and A.M. Vetter 108

The primary test of measuring system for the actual emittance of relativistic electron beams
L. Fu, T.-b. Du, X. Chen, H. Tian and N.-q. Liu 112

Beam extraction experiment with field-emission arrays
H. Ishizuka, A. Watanabe, M. Shiho, S. Kawasaki, J. Itoh, M. Arai, H. Shimawaki and K. Yokoo 116

Beam diagnostics and modeling in CIRFEL
J. Krishnaswamy, I.S. Lehrman, R.A. Hartley, M.F. Reusch, A.M.M. Todd, R.H. Austin and D. Feldman 119

Beam transport design for a recirculating-linac FEL driver
D. Neuffer, D. Douglas, Z. Li, A. Garren and M. Cornacchia 123

Quasi-isochronous storage ring for enhanced FEL performance
H. Ohgaki, D. Robin and T. Yamazaki 128

A comparison of various schemes of beam conditioning for FEL
V.A. Papadichev 132

Non-destructive diagnosis of relativistic electron beams using a short undulator
M.L. Ponds, Y. Feng, J.M.J. Madey and P.G. O'Shea 136

Carbon-fiber emitter in a cyclotron-resonance maser experiment
A. Shahadi, E. Jerby, L. Lei and R. Drori 140

A new beam source for free electron lasers
M.C. Wang, Z. Wang, Y. Huang, L. Zhang, B. Lu, J. Zhu and J.K. Lee 143
Design and construction of a DC high-brightness laser driven electron gun
K. Zhao, R.L. Geng, L.F. Wang, B.C. Zhang, J. Yu, T. Wang, G.F. Wu, J.H. Song and J.E. Chen 147

Section IV. Long wavelength FELs

Generation of frequency-chirped optical pulses with FELIX
G.M.H. Knippels, A.F.G. van der Meer, R.F.X.A.M. Mols, D. Oepts and P.W. van Amersfoort 150
Theory of short pulse FEL oscillators
N. Piovella, P. Chaix, G. Shvets and D. Jaroszynski 156
Experimental study of high-power, saturated amplification in a sheet-beam, small-period-wiggler FEL (with applications to magnetic fusion research)
S. Cheng, V.L. Granatstein, W.W. Destler, B. Levush, J. Rodgers and T.M. Antonsen, Jr. 160
Measurements and simulation of the radiation build-up process in a prebunched free-electron maser oscillator
A. Abramovich, Y. Pinhasi, V. Shterngartz, L. Gilutin, H. Kleinman, A. Eichenbaum, I.M. Yakover, M. Cohen, A. Gover, B. Levush, T.M. Antonsen and V.L. Granatstein 164
Simulation of an annular beam free-electron laser
M. Blank, H.P. Freund, R.H. Jackson, D.E. Pershing and J.M. Taccetti 169
Microwave axial free-electron laser with enhanced phase stability
B.E. Carlsten, C.M. Fortgang, J.M. Potter, M.V. Fazio, W.B. Haynes and L.M. May 171
Nonlinear saturation characteristics of a dielectric Cherenkov maser
J.-S. Choi, E.-G. Heo, B.-H. Hong and D.-I. Choi 175
Spontaneous emission measurements from a low voltage pre-bunched electron beam
G. Dearden, S.E. Mayhew, J. Lucas and R.A. Stuart 179
Gain measurements on a waveguide FEL amplifier with pre-bunched electron beam
G. Dearden, S.E. Mayhew, J. Lucas, R.A. Stuart, J.R. Hartley, A. Shaw and A. Al-Shamma'a . 183
Free-electron maser operation at the 1 GHz/1 keV regime
R. Drori, E. Jerby, A. Shahadi, M. Einat and M. Sheinin 186
Spectral dynamics of a collective free electron maser
P.J. Eecen, T.J. Schep and A.V. Tulupov 190
Integrated computer simulation on FIR FEL dynamics
H. Furukawa, K. Mima, Y. Sentoku, S. Kuruma, K. Imasaki and C. Yamanaka 194
Saturation and pulsed FEL dynamics
L. Giannessi and L. Mezi 198
Mode competition and control in free electron lasers with one and two dimensional Bragg resonators
N.S. Ginzburg, A.S. Sergeev, N.Yu. Peskov, I.V. Konoplev, G.R.M. Robb and A.D.R. Phelps .. 202
Simulation of a waveguide FEL oscillator using an RF linac
M. Goto, S. Kuruma, K. Mima, M. Asakawa, K. Imasaki and C. Yamanaka 207
Shaping pulses using frequency conversion with a modulated picosecond free electron laser
B.A. Hooper and J.M.J. Madey 210
High efficiency FEL-oscillator with Bragg resonator operated in the reversed guide field regime
A.K. Kaminsky, A.A. Kaminsky, V.P. Sarantsev, S.N. Sedykh, A.P. Sergeev, N.S. Ginzburg, N.Yu. Peskov, A.S. Sergeev and V.A. Bogachenkov 215
2-D simulation of the waveguide free-electron laser with a helical undulator
S.K. Kim, Y.U. Jeong, S.O. Cho, B.C. Lee and J. Lee 219
Quasi-anomalous Doppler effect in a periodic-waveguide cyclotron maser
M. Korol and E. Jerby 222

Design of a far-infrared CHI wiggler free-electron laser
R.H. Jackson, M. Blank, H.P. Freund, D.E. Pershing and J.M. Tacetti 226
Design of a "slow-wave" ubitron
D.E. Pershing, R.H. Jackson, H.P. Freund, M. Blank, K. Nguyen and J.M. Taccetti 230
Transverse mode coupling and supermode establishment in a free-electron laser oscillator
Y. Pinhasi and A. Gover 233
X-band prebunched FEL amplifier
K. Saito, K. Takayama, T. Ozaki, J. Kishiro, K. Ebihara and S. Hiramatsu 237
On a theory of an FEL amplifier with circular waveguide and guiding magnetic field
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 241
First results of a cw industrial FEM
A. Shaw, A. Al-Shamma'a, R.A. Stuart, C. Balfour and J. Lucas 245
FEL on slow cyclotron wave
A.A. Silivra 248
The FERMI FEL project at Trieste
R.P. Walker, D. Bulfone, F. Cargnello, M. Castellano, F. Cevenini, F. Ciocci, A. Cutolo, G. D'Auria, F. Daclon, G. Dattoli, A. De Angelis, A. Dipace, A. Doria, M. Ferianis, G.P. Gallerano, F. Garosi, L. Giannessi, M. Giannini, E. Giovenale, G. Margaritondo, A. Massarotti, L. Mezi, P.L. Ottaviani, P. Patteri, A. Renieri, A. Rindi, R. Rosei, C. Rubbia, E. Sabia, A. Segreto, S. Tazzari, F. Tazzioli, A. Torre, R. Visintini, A. Wrulich and D. Zangrando . 252
Comparison of grating and wiggler based free-electron lasers
K.J. Woods and J.E. Walsh 257
Study of waveguide resonators for FEL operating at submillimeter wavelengths
I.M. Yakover, Y. Pinhasi and A. Gover 260

Section V. Short wavelength FELs

Multisegment wigglers for short wavelength FEL
N.A. Vinokurov 264
A VUV free electron laser at the TESLA test facility at DESY
J. Rossbach 269
Research and development toward a 4.5–1.5 Å linac coherent light source (LCLS) at SLAC
R. Tatchyn, J. Arthur, M. Baltay, K. Bane, R. Boyce, M. Cornacchia, T. Cremer, A. Fisher, S.-J. Hahn, M. Hernandez, G. Loew, R. Miller, W.R. Nelson, H.-D. Nuhn, D. Palmer, J. Paterson, T. Raubenheimer, J. Weaver, H. Wiedemann, H. Winick, C. Pellegrini, G. Travish, E.T. Scharlemann, S. Caspi, W. Fawley, K. Halbach, K.-J. Kim, R. Schlueter, M. Xie, D. Meyerhofer, R. Bonifacio and L. De Salvo 274
Non-wiggler-averaged theory of short wavelength free-electron lasers
H.P. Freund 284
Proposed visible FEL facility at Boeing
J.L. Adamski, D.H. Dowell, T.D. Hayward, C.G. Parazzoli and A.M. Vetter 288
Parametric X-ray FEL operating with external Bragg reflectors
V.G. Baryshevsky, K.G. Batrakov and I.Ya. Dubovskaya 292
Parameter study of the VUV FEL at the TESLA Test Facility
W. Brefeld, B. Faatz, Yu.M. Nikitina, J. Pflüger, P. Pierini, J. Roßbach, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 295
13 nm advanced SASE free electron laser with a quasi-stable optical klystron configuration
J. Chen, K. Imasaki, M. Fujita, M. Asakawa, C. Yamanaka, K. Mima and S. Nakai 299
Electron trajectories in a self-consistent wiggler field composed of a dipole lattice
H.P. Freund and L.H. Yu 304
Ultrahigh harmonic generation in a FEL with a seed laser
V.V. Goloviznin and P.W. van Amersfoort 309

On the spectrum of an optical klystron in the oscillation mode
D.A. Kayran and N.A. Vinokurov 311
Effects of undulator interruptions on the performance of high-gain FEL amplifiers
K.-J. Kim, M. Xie and C. Pellegrini 314
Optical property of infrared-FELs at the FELI
A. Kobayashi, K. Saeki, E. Oshita, S. Okuma, K. Wakita, A. Zako, A. Koga, Y. Miyauchi, A. Nagai, M. Yasumoto and T. Tomimasu 317
The bunch compression system at the TESLA test facility FEL
T. Limberg, H. Weise, A. Molodozhentsev and V. Petrov 322
Two novel undulator schemes with quadrupolar focusing for the VUV-FEL at the TESLA test facility
Yu.M. Nikitina and J. Pflüger 325
Measurement of characteristics of the infrared free electron laser with the L-band linear accelerator at Osaka University
S. Okuda, S. Ishida, G. Isoyama, Y. Honda and R. Kato 329
Shot noise startup of the 6 nm SASE FEL at the TESLA test facility
P. Pierini and W.M. Fawley 332
Some novel features of an FEL oscillator with tapered undulator
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 336
Strong focusing influence on high gain FEL characteristics
A.V. Smirnov and A.A. Varfolomeev 340
Optical cavity vs. electron beam requirements for the operation of a 1.5 Å LCLS in a regenerative amplifier mode
R. Tatchyn 345
Self-consistent analysis of 3D undulator radiation and relativistic electron beam dynamics using Lienard–Wiechert fields
M. Tecimer and L. Elias 348
FEL gain as a function of phase displacement induced by undulator intersection gaps
A.A. Varfolomeev and T.V. Yarovoi 352
Electron beam effects in UV FEL
R.K. Wong, J. Blau and W.B. Colson 356

Section VI. High power FELs

Optical power evolution in the Boeing 1 kW FEL oscillator
J. Blau, R.K. Wong and W.B. Colson 358
High-efficiency CARM
V.L. Bratman, G.G. Denisov, B.D. Kol'chugin, S.V. Samsonov and A.B. Volkov 360
Sideband elimination and high efficiencies in a strongly tapered free-electron laser amplifier
J. Chen and A. Bhattacharjee 363
Nonlinear theory of a plasma Cherenkov maser
J.-S. Choi, E.-G. Heo, B.-H. Hong and D.-I. Choi 367
The magnetoresonance operation of microwiggler using a piezoelectric with a strong magnetic guide field
J.-S. Choi, E.-G. Heo, S.-H. Lee and D.-I. Choi 370
Status of the ELSA facility. Last results at high efficiency and first test of a 60 parameters, on line tunable wiggler
Ph. Guimbal, A. Binet, J.P. Blésès, V. Fontenay, S. Joly, A. Loulergue, J.G. Marmouget, Y. Pranal, J. Rodolfo, F. Sabary, S. Striby and D. Touati 373
Experimental study of a high-current FEM with a broadband microwave system
N.Yu. Peskov, V.L. Bratman, N.S. Ginzburg, G.G. Denisov, B.D. Kol'chugin, S.V. Samsonov and A.B. Volkov 377

Structure of the spontaneous emission spectra of high-γ free electron lasers as measured at the Darmstadt (S-DALINAC) FEL
G. Renz, G. Spindler, V. Schlott and R. Hahn 381
Analysis of the eigenvalue equation of the FEL amplifier with axisymmetric electron beam and diaphragm focusing line
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov 385
Multi-stage FEL amplifier with diaphragm focusing line as direct energy driver for inertial confinement fusion
E.L. Saldin, E.A. Schneidmiller, Yu.N. Ulyanov and M.V. Yurkov 389
A method of forming a high-quality electron beam for free electron masers
S.V. Samsonov, V.L. Bratman and V.N. Manuilov 393
Lightning control system using high power microwave FEL
M. Shiho, A. Watanabe, S. Kawasaki, H. Ishizuka, K. Takayama, J. Kishiro, T. Shindo and T. Fujioka 396
Status, commissioning of the 1 MW, 130–260 GHz fusion-FEM
W.H. Urbanus, W.A. Bongers, G. van Dijk, C.A.J. van der Geer, S. de Kroon, P. Manintveld, J. Pluygers, A.B. Sterk, M. Valentini, A.G.A. Verhoeven, R.M.M. Weijman and M.J. van der Wiel 401
Status of the high power free electron laser using the race-track microtron-recuperator
N.A. Vinokurov, N.G. Gavrilov, E.I. Gorniker, G.N. Kulipanov, I.V. Kuptsov, G.Ya. Kurkin, G.I. Erg, Yu.I. Levashov, A.D. Oreshkov, S.P. Petrov, V.M. Petrov, I.V. Pinayev, V.M. Popik, I.K. Sedlyarov, T.V. Shaftan, A.N. Skrinsky, A.S. Sokolov, V.G. Veshcherevich and P.D. Vobly .. 403

Section VII. FEL technology

Advances in FEL undulator technology at STI Optronics
K.E. Robinson, M.P. Challenger, S.C. Gottschalk and D.C. Quimby 407
Characteristics of the MIT microwiggler for free electron laser applications
P. Catravas, R. Stoner and G. Bekefi 412
Multi-order harmonic lasing with a modified wiggler
M. Asakawa, N. Nakao, H. Ohkubo, T. Ishida, T. Watanabe, E. Yasuda, Y. Okuda, M. Fujita, J. Chen, A. Moon, P.K. Roy, S. Kuruma, K. Imasaki, K. Mima, N. Ohigashi, Y. Tsunawaki, S. Nakai and C. Yamanaka 416
Optical alignment and diagnostics for the ATF microundulator FEL oscillator
M. Babzien, I. Ben-Zvi, P. Catravas, J.-M. Fang, A. Fisher, W.S. Graves, X.Z. Qiu, Z. Segalov and X.J. Wang 420
A wiggler magnet for a CW-FEM
A. Al-Shamma'a, R.A. Stuart and J. Lucas 424
New autocorrelation technique for the IR FEL optical pulsewidth measurements
F. Amirmadhi, C. Brau, K. Becker and M. Mendenhall 427
Real time diagnostics for the operation of a CW low voltage FEL
C. Balfour, A. Shaw, S.E. Mayhew, A.I. Al-Shamma'a, G. Dearden, J. Lucas, R.A. Stuart and J.R. Hartley 430
An experimental superconducting helical undulator
S. Caspi and C. Taylor 433
Initial studies of electromagnetic shower energy deposition in small-bore superconducting undulator structures in linac environments
T. Cremer, W.R. Nelson and R. Tatchyn 436
Dependence of the VUV-FEL performance at the TESLA Test Facility on magnetic field errors
B. Faatz, J. Pflüger and P. Pierini 441
Experience on the operation of the 2-in-1 electromagnetic undulator of FELICITA-I
A. Geisler, D. Nölle, M. Ridder and T. Schmidt 445
KIAE-1.5–3 undulator performance
V.V. Gubankov, S.N. Ivanchenkov, N.S. Osmanov, S.V. Tolmachev, A.A. Varfolomeev and V.F. Pavluchenkov 448

Fabrication of a high-field short-period superconducting undulator
G. Ingold, I. Ben-Zvi, L. Solomon and M. Woodle 451
Coherent harmonic production using a two-section undulator FEL
D.A. Jaroszynski, R. Prazeres, F. Glotin, O. Marcouillé and J.M. Ortega 456
Potential applications of a dual-sweep streak camera system for characterizing particle and photon beams of VUV, XUV, and X-ray FELs
A. Lumpkin 460
A new undulator for the extension of the spectral range of the CLIO FEL
O. Marcouillé, M. Corlier, G. Humbert, F. Marteau, J.M. Ortéga, P. Peaupardin and J. Vétéran 465
Suppression and control of leakage field in electromagnetic helical microwiggler
N. Ohigashi, T. Ishida, Y. Tsunawaki, K. Imasaki, M. Fujita, M. Asakawa, S.-i. Kuruma, C. Yamanaka, S. Nakai and K. Mima 469
Distorted orbit due to field errors and particle trajectories in combined undulator and axial magnetic fields
V.A. Papadichev 474
Orbital motion in generalized static fields of FELs accounting for axial magnetic field, beam forces, undulator and external focusing
V.A. Papadichev 479
Polarization in free electron lasers
V.A. Papadichev 483
VUV optical ring resonator for the Duke storage ring free electron laser
S.H. Park, V.N. Litvinenko, J.M.J. Madey and B.E. Newnam 487
A broadly tunable autocorrelator for ultra-short, ultra-high power infrared optical pulses
E.B. Szarmes and J.M.J. Madey 492
A CHI wiggler ubitron amplifier experiment: wiggler characterization
J.M. Taccetti, R.H. Jackson, H.P. Freund, D.E. Pershing, M. Blank and V.L. Granatstein 496
Image tuning techniques for enhancing the performance of pure permanent magnet undulators with small gap/period ratios
R. Tatchyn 500
Final construction of the CREOL 8 millimeter period hybrid undulator
P.P. Tesch, J. Gallagher and L.R. Elias 504
Tuning and characterization of Twente wiggler
J.W.J. Verschuur and R.W. Warren 508
Theoretical analysis of planar pulse microwiggler
Y. Xu and Q. Liu 511
Electron orbits in the microwave inverse FEL accelerator (MIFELA)
T.B. Zhang and T.C. Marshall 515

Section VIII. New directions

Studies of the 32.98 GHz CERN-CLIC high gradient accelerating structure driven by the MIT free electron laser amplifier
G. Bekefi, P. Volfbeyn, I. Wilson and W. Wuensch 519
An FEL scheme for generating high-power optical beams for gamma–gamma colliders based on chirped pulse amplification techniques
K.-J. Kim, M. Xie and A.M. Sessler 523
Coherent spontaneous radiation from highly bunched electron beams
K.W. Berryman, E.R. Crosson, K.N. Ricci and T.I. Smith 526
Inverse Compton γ-ray source for nuclear physics and related applications
P.G. O'Shea, V.N. Litvinenko, J.M.J. Madey, N.R. Roberson, E.C. Schreiber, K.D. Straub, K.J. Weeks, H.R. Weller and Y. Wu 530
Coherent spontaneous emission from short electron bunches in free space
G.R.M. Robb, N.S. Ginzburg, A.D.R. Phelps and A.S. Sergeev 535

Wavelength switching in an optical klystron☆
K.W. Berryman and T.I. Smith 539
Compton backscattering of intracavity storage ring free-electron laser radiation
G. Dattoli, L. Giannessi, A. Torre, G. Altobelli and J. Gallardo 543
Nonlinear Thomson scattering for off-axis interaction geometries
E. Esarey, S.K. Ride, M. Baine, A. Ting and P. Sprangle 545
"Optical guiding" limits on extraction efficiencies of single-pass, tapered wiggler amplifiers
W.M. Fawley 550
Superradiance of short electron pulses in waveguides
N.S. Ginzburg, I.V. Konoplev, I.V. Zotova, A.S. Sergeev, V.G. Shpak, M.I. Yalandin, S.A. Shunailov and M.R. Ulmaskulov 553
Short pulses and broadband measurement by autocorrelation with a sum-frequency generation setup
F. Glotin, J.M. Berset, D. Jaroszynski, O. Marcouillé, J.M. Ortega, A. Peremans, R. Prazeres and W.Q. Zheng 558
Nonlinear resonances in a multi-stage free electron laser amplifier
S. Hashimoto and K. Takayama 562
The role of radiation reaction in Lienard–Wiechert description of FEL interaction
I. Kimel and L.R. Elias 565
Radiation harmonic generation by reflecting plane electron beam from inhomogeneous linear polarized electromagnetic wave
A.V. Koltsov and A.V. Serov 569
Three-dimensional study of the multi-cavity free-electron laser
S. Krishnagopal and V. Kumar 572
Coherent undulator radiation of an electron beam, microbunched for the FEL power outcoupling
G.N. Kulipanov, A.S. Sokolov and N.A. Vinokurov 576
Intense Compton γ-ray source from the Duke storage ring FEL
V.N. Litvinenko and J.M.J. Madey 580
Resonant conditions for a storage ring short wavelength FEL with power exceeding Renieri limit
V.N. Litvinenko 584
A compact FEL upconverter of coherent radiation
Y.-H. Liu and T.C. Marshall 589
A table-top X-ray FEL based on the laser wakefield accelerator–undulator system
K. Nakajima, M. Kando, T. Kawakubo, T. Nakanishi and A. Ogata 593
Amplified coherent emission from electron beams prebunched in a masked chicane
D.C. Nguyen and B.E. Carlsten 597
Polarized gamma-rays with laser-Compton backscattering
H. Ohgaki, T. Noguchi, S. Sugiyama, T. Mikado, M. Chiwaki, K. Yamada, R. Suzuki, N. Sei, T. Ohdaira and T. Yamazaki 602
Application of FEL technique for constructing high-intensity, monochromatic, polarized gamma-sources at storage rings
E.L. Saldin, E.A. Schneidmiller, S.S. Shimanskii, Yu.N. Ulyanov and M.V. Yurkov 606
Cyclotron resonance cooling by a strong laser field
T. Taguchi and K. Mima 610
A microwave inverse Cherenkov accelerator (MICA)
T.B. Zhang and T.C. Marshall 614

Section IX. FEL facility challenges

Activities of the CLIO infrared facility
J.M. Ortega, J.M. Berset, R. Chaput, F. Glotin, G. Humbert, D. Jaroszynski, P. Joly, B. Kergosien, J. Lesrel, O. Marcouillé, A. Peremans, R. Prazeres and A. Tadjeddine 618

The FELI FEL facilities – challenges at simultaneous FEL beam sharing systems and UV-range FELs
T. Tomimasu, K. Saeki, Y. Miyauchi, E. Oshita, S. Okuma, K. Wakita, A. Kobayashi, T. Suzuki, A. Zako, S. Nishihara, A. Koga, K. Wakisaka, H. Tongu, A. Nagai and M. Yasumoto .. 626

Challenges at FEL facilities: The Stanford Picosecond FEL Center
H.A. Schwettman 632

Source challenges resulting from the first applications of a UV storage ring FEL on Super-ACO
M.E. Couprie, R. Bakker, D. Garzella, L. Nahn, M. Marsi, F. Mérola, T. Hara and M. Billardon 639

Picosecond pump-probe using an FEL and a synchrotron source
G. Denbeaux, K.D. Straub, J.M.J. Madey, P.G. O'Shea, V. Litvinenko, E. Szarmes and G. Barnett 644

Step-tapered operation of the FEL: efficiency enhancement and two-colour operation
D.A. Jaroszynski, R. Prazeres, F. Glotin, O. Marcouillé, J.M. Ortega, D. Oepts, A.F.G. van der Meer, G.M.H. Knippels and P.W. van Amersfoort 647

Far-infrared streak camera
G.M. Lankhuijzen and L.D. Noordam 651

FEL beam sharing systems for eight user's stations at the FELI
S. Okuma, K. Saeki, A. Kobayashi, E. Oshita, K. Wakita, M. Yasumoto, S. Ogino, E. Nishimura and T. Tomimasu 654

Vibrational spectroscopy at interfaces by ir-vis sum-frequency generation using CLIO FEL
A. Peremans, A. Tadjeddine, W.Q. Zheng, P. Guyot-Sionnest, P. Remy, G. Ryschenkow, M. Buck, Y. Caudano, L.-M. Yu, P.A. Thiry, B. Bourguignon, H. Dubost, B. Draggnea and S. Carrez 657

The Stanford Picosecond FEL Center
H.A. Schwettman, T.I. Smith and R.L. Swent 662

Part II. Extended synopses

Diagnostics and electron-optics of a high current electron beam in the Tandem free electron laser – status report
A. Arensburg, A. Abramovich, D. Chairman, M. Cohen, M. Draznin, A. Gover, H. Kleinman, Y. Pinhasi, J.S. Sokolowski, V. Shterngartz, I.M. Yakover, L.A. Levin, O. Shahal, A. Rosenberg, J. Shiloh and I. Schnitzer ..... ABS 1

A status report on the development of a high power UV and IR FEL at CEBAF
S.V. Benson, J. Bisognano, C. Bohn, L. Cardman, W.B. Colson, D. Douglas, H.F. Dylla, D. Engwall, J. Fugitt, J. Goldstein, K. Jordan, D. Kehne, Z. Li, H. Liu, L. Merminga, G. Neil, D. Neuffer, M. Shinn, M. Wiseman, R. Wong and M. Xie ..... ABS 4

A 3 GHz photoelectron gun for high beam intensity
R. Bossart, H. Braun, M. Dehler and J.-C. Godot ..... ABS 7

Investigation of electron beam transport in a helical undulator
S.O. Cho, Y.U. Jeong, B.C. Lee, S.K. Kim, B.H. Cha, J. Lee and K.H. Chung ..... ABS 9

The ENEA F-CUBE facility: trends in RF driven compact FELs and related diagnostics
A. Doria, G.P. Gallerano, E. Giovenale, M.F. Kimmitt and G. Messina ..... ABS 11

Applications of enhanced Compton scattering in a supercavity
M. Fujita, A. Moon, E. Yasuda, T. Asakuma, T. Minamiguchi, M. Asakawa, J. Chen, K. Imasaki, C. Yamanaka, P.K. Roy, K. Mima, S. Nakai, N. Nakao, T. Ishida, T. Watanabe, N. Ohigashi, Y. Tsunawaki, Y. Yamazaki and M. Sakuma ..... ABS 14

Small-signal gain in a gas-loaded FEL
V.V. Goloviznin and P.W. van Amersfoort ..... ABS 17

Advanced optimization of permanent magnet wigglers using genetic algorithm
R. Hajima and F. Matsuura ..... ABS 19

Feed forward control: an implementation at CIRFEL
R. Hartley, I. Lehrman and J. Krishnaswamy ..... ABS 22

Construction and development of an UV free electron laser under the cooperation of Nihon U., KEK, PNC, ETL and Tohoku U.
K. Hayakawa, T. Tanaka, Y. Torizuka, K. Sato, Y. Matsubara, I. Kawakami, I. Sato, S. Fukuda, S. Anami, T. Kurihara, T. Kamitani, S. Ohsawa, A. Enomoto, S. Toyama, M. Nomura, Y. Yamazaki, T. Yamazaki, K. Yamada, M. Ikezawa, Y. Sibata and M. Oyamada ABS 25

Van der Pol model of a Cherenkov maser
M. Kleckner, A. Ron and M. Botton ..... ABS 27

Plans for a far-infrared free-electron laser in India
S. Krishnagopal, V. Kumar and S.S. Ramamurthi ..... ABS 30

Design study for a longer wavelength FEL for FELIX
L. Lin, G.H.C. van Werkhoven, D. Oepts, A.F.G. van der Meer and P.W. van Amersfoort ..... ABS 32

Optical wavelength modulation in free electron lasers
R.M. Mabe, R.K. Wong and W.B. Colson ..... ABS 34

Comparison of optical and electron spectra in an infra-red free-electron laser
A.M. MacLeod, W.A. Gillespie, G.M.H. Knippels, A.F.G. van der Meer and P.W. van Amersfoort ..... ABS 36

Energy stability in recirculating, energy-recovering linacs
L. Merminga, J.J. Bisognano and J.R. Delayen ..... ABS 39

Performance of an undulator for visible and UV FELs at the FELI
Y. Miyauchi, A. Zako, A. Koga, T. Tomimasu, M. Takahashi, S. Mandai, K. Kakuno and K. Ohashi ..... ABS 42

Feasibility studies of a compact mm-wave linac FEL
A. Nassiri, R.L. Kustom, Y.W. Kang and J. Song ..... ABS 46

Progress of the commissioning of the DELTA storage ring FEL facility
D. Nölle and DELTA Group ..... ABS 48

New results of the CLIO infrared FEL using a new undulator and hole coupling extraction
R. Prazeres, J.M. Berset, F. Glotin, D. Jaroszynski, O. Marcouillé and J.M. Ortega ..... ABS 51

Simulating the trapped-particle instability in the Boeing 1 kW FEL
L. Ramos, J. Blau and W.B. Colson ..... ABS 54

Optical aspects for lasing in the visible and UV with FELICITA I
T. Schmidt, A. Geisler, D. Nölle, M. Ridder and S. Tammen ..... ABS 56

The spartial distribution of the particles of the beam interacting with an inhomogeneous electromagnetic wave
A.V. Serov ..... ABS 59

Transverse effects in UV FELs
D.W. Small, R.K. Wong and W.B. Colson ..... ABS 61

Magnetic measurements of the BNL HGFEL
L. Solomon, W.S. Graves, I. Ben-Zvi, S. Krinsky, D. Lynch, P. Mortazavi, G. Rakowsky, J. Skaritka, M. Woodle, L.H. Yu, I. Lehrman and F. Tepes ..... ABS 63

Current status of the superconducting RF linac driver for the JAERI free electron laser
M. Sugimoto, E.J. Minehara, M. Sawamura, R. Nagai and N. Kikuzawa ..... ABS 65

Demonstration experiment of a laser synchrotron source for tunable, monochromatic X-rays at 500 eV
A. Ting, R. Fischer, A. Fisher, C.I. Moore, B. Hafizi, R. Elton, K. Krushelnick, R. Burris, S. Jackel, K. Evans, J.N. Weaver, P. Sprangle, E. Esarey, M. Baine and S. Ride .. ABS 68

Simulations of e-beam emittance effects on the performance of the fusion-FEM
A.V. Tulupov, M. Caplan and W.H. Urbanus ..... ABS 71

Velocity distributions produced by a thermionic electron gun and the effect on the performance of a Cherenkov FEL
P.J.M. Van der Slot and V.S. Voronin ..... ABS 73

Influence of the cavity geometry on the micropulse output of FELIX in the limit-cycle regime
H.H. Weits, G.M.H. Knippels, G.H.C. van Werkhoven, D. Oepts and P.W. van Amersfoort ..... ABS 75
Progress in the injector for FEL at CIAE
T. Yang, W. Zhou, S. Fu, X. Shi, Y. Ma, Y. Shi and W. Liu ..... ABS 77
Next linear collider test accelerator injector upgrade
A.D. Yeremian and R.H. Miller ..... ABS 78
A hybrid type undulator for far infrared FELs at the FELI
A. Zako, Y. Miyauchi, A. Koga and T. Tomimasu ..... ABS 80
Theoretical analysis of advanced schemes for free electron laser with a large μ_c
V.I. Zhulin and N.P. Zanadvorov ..... ABS 83
Deliberate misalignment in free electron lasers with a hole coupling
V.I. Zhulin ..... ABS 85

Part III. Tables of operating and proposed FELs

Long wavelength free-electron lasers in 1995
H.P. Freund and V.L. Granatstein 665
Short wavelength free electron lasers in 1996
W.B. Colson 669

Author index 673